ELSEVIER

Mechanisms of Development 62 (1997) 227–228

Author index

Volume 63 (1997)

Barabino, S.M.L., F. Spada, F. Cotelli, E. Boncinelli, Inactivation of the zebrafish homologue of *Chx10* by antisense oligonucleotides causes eye malformations similar to the ocular retardation phenotype **63**, 133

Bellefroid, E., T. Bouwmeester, O. Rausch, B. Blumberg, T. Pieler, Transcription regulation and alternative splicing of an early zygotic gene encoding two structurally distinct zinc finger proteins in *Xenopus laevis* **63**, 99

Bellefroid, E.J., see Marine, J.-C. **63**, 211

Benassayag, C., L. Seroude, M. Boube, M. Erard, D.L. Cribbs, A homeodomain point mutation of the *Drosophila* proboscipedia protein provokes eye loss independently of homeotic function **63**, 187

Bennett Keasey, J., see Sumoy, L. **63**, 15

Blum, M., see Fainsod, A. **63**, 39

Blumberg, B., see Bellefroid, E. **63**, 99

Boncinelli, E., see Barabino, S.M.L. **63**, 133

Boube, M., see Benassayag, C. **63**, 187

Bouillet, P., V. Sapin, C. Chazaud, N. Messaddeq, D. Décimo, P. Dollé, P. Chambon, Developmental expression pattern of Stra6, a retinoic acid-responsive gene encoding a new type of membrane protein **63**, 173

Bouwmeester, T., see Bellefroid, E. **63**, 99

Bryant, P.J., see Dimitratos, S.D. **63**, 127

Campos-Ortega, J., see Dornseifer, P. **63**, 159

Campos-Ortega, J.A., see Giebel, B. **63**, 75

Chambon, P., see Bouillet, P. **63**, 173

Chazaud, C., see Bouillet, P. **63**, 173

Cotelli, F., see Barabino, S.M.L. **63**, 133

Cribbs, D.L., see Benassayag, C. **63**, 187

Crotty, D.A., see Keegan, L.P. **63**, 145

Damert, A., see Flamme, I. **63**, 51

Décimo, D., see Bouillet, P. **63**, 173

Deißler, K., see Fainsod, A. **63**, 39

Deutsch, U., see Mayr, T. **63**, 109

Deutzmann, R., see Mayr, T. **63**, 109

Dimitratos, S.D., D.F. Woods, P.J. Bryant, Camguk, Lin-2, and CASK: novel membrane-associated guanylate kinase homologs that also contain CaM kinase domains **63**, 127

Dittman, T.D., see Sumoy, L. **63**, 15

Dollé, P., see Bouillet, P. **63**, 173

Dornseifer, P., C. Takke, J. Campos-Ortega, Overexpression of a zebrafish homologue of the *Drosophila* neurogenic gene *Delta* perturbs differentiation of primary neurons and somite development **63**, 159

Drexler, H.C.A., see Mayr, T. **63**, 109

Epstein, M., see Fainsod, A. **63**, 39

Erard, M., see Benassayag, C. **63**, 187

Fainsod, A., K. Deißler, R. Yelin, K. Marom, M. Epstein, G. Pillemer, H. Steinbeisser, M. Blum, The dorsalizing and neural inducing gene *follistatin* is an antagonist of *BMP-4* **63**, 39

Flamme, I., T. Fröhlich, M. von Reutern, A. Kappel, A. Damert, W. Risau, HRF, a putative basic helix-loop-helix-PAS-domain transcription factor is closely related to hypoxia-inducible factor-1α and developmentally expressed in blood vessels **63**, 51

Fröhlich, T., see Flamme, I. **63**, 51

Gehring, W.J., see Keegan, L.P. **63**, 145

Giebel, B., I. Stüttem, U. Hinz, J.A. Campos-Ortega, Lethal of Scute requires overexpression of Daughterless to elicit ectopic neuronal development during embryogenesis in *Drosophila* **63**, 75

Haerry, T.E., see Keegan, L.P. **63**, 145

Helfand, S.L., see Rogina, B. **63**, 89

Hinz, U., see Giebel, B. **63**, 75

Hirchenhain, J., see Wood, S.A. **63**, 29

Huppert, S.S., see Parks, A.L. **63**, 61

Kamps, M.P., see Knoepfler, P.S. **63**, 5

Kappel, A., see Flamme, I. **63**, 51

Keegan, L.P., T.E. Haerry, D.A. Crotty, A.I. Packer, D.J. Wolgemuth, W.J. Gehring, A sequence conserved in vertebrate *Hox* gene introns functions as an enhancer regulated by posterior homeotic genes in *Drosophila* imaginal discs **63**, 145

Kemler, R., see Wood, S.A. **63**, 29

Kimelman, D., see Sumoy, L. **63**, 15

Knoepfler, P.S., M.P. Kamps, The Pbx family of proteins is strongly upregulated by a post-transcriptional mechanism during retinoic acid-induced differentiation of P19 embryonal carcinoma cells **63**, 5

Kühl, M., see Mayr, T. **63**, 109

Landesman, Y., S.Y. Sokol, Xwnt-2b is a novel axis-inducing *Xenopus* Wnt, which is expressed in embryonic brain **63**, 199

Lottspeich, F., see Mayr, T. **63**, 109

Marine, J.-C., E.J. Bellefroid, H. Pendeville, J.A. Martial, T. Pieler, A role for *Xenopus* Gli-type zinc finger proteins in the early embryonic patterning of mesoderm and neuroectoderm **63**, 211

Marom, K., see Fainsod, A. **63**, 39

Martial, J.A., see Marine, J.-C. **63**, 211

Mattick, J.S., see Wood, S.A. **63**, 29

Mayr, T., U. Deutsch, M. Kühl, H.C.A. Drexler, F. Lottspeich, R. Deutzmann, D. Wedlich, W. Risau, Fritz: a secreted frizzled-related protein that inhibits Wnt activity **63**, 109

Messaddeq, N., see Bouillet, P. **63**, 173

Muskavitch, M.A.T., see Parks, A.L. **63**, 61

Packer, A.I., see Keegan, L.P. **63**, 145

Parks, A.L., S.S. Huppert, M.A.T. Muskavitch, The dynamics of neurogenic signalling underlying bristle development in *Drosophila melanogaster* **63**, 61

Pascoe, W.S., see Wood, S.A. **63**, 29

Pendeville, H., see Marine, J.-C. **63**, 211

Pieler, T., see Bellefroid, E. **63**, 99

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved

Pieler, T., see Marine, J.-C. **63**, 211
Pillemer, G., see Fainsod, A. **63**, 39

Rausch, O., see Bellefroid, E. **63**, 99
Risau, W., see Flamme, I. **63**, 51
Risau, W., see Mayr, T. **63**, 109
Rogina, B., S.L. Helfand, Spatial and temporal pattern of expression of the *wingless* and *engrailed* genes in the adult antenna is regulated by age-dependent mechanisms **63**, 89
Ru, K.L., see Wood, S.A. 63 29

Sapin, V., see Bouillet, P. **63**, 173
Seroude, L., see Benassayag, C. **63**, 187
Sokol, S.Y., see Landesman, Y. **63**, 199
Spada, F., see Barabino, S.M.L. **63**, 133
Steinbeisser, H., see Fainsod, A. **63**, 39
Stüttem, I., see Giebel, B. **63**, 75
Sumoy, L., J. Bennett Keasey, T.D. Dittman, D. Kimelman, A role for notochord in axial vascular development revealed by analysis of phenotype and the expression of VEGR-2 in zebrafish *flh* and *ntl* mutant embryos **63**, 15

Takke, C., see Dornseifer, P. **63**, 159

von Reutern, M., see Flamme, I. **63**, 51

Wedlich, D., see Mayr, T. **63**, 109
Wolgemuth, D.J., see Keegan, L.P. **63**, 145
Wood, S.A., W.S. Pascoe, K.L. Ru, T. Yamada, J. Hirchenhain, R. Kemler, J.S. Mattick, Cloning and expression analysis of a novel mouse gene with sequence similarity to the *Drosophila fat facets* gene **63**, 29
Woods, D.F., see Dimitratos, S.D. **63**, 127

Yamada, T., see Wood, S.A. **63**, 29
Yelin, R., see Fainsod, A. **63**, 39

ELSEVIER

Mechanisms of Development 62 (1997) 229–231

Subject index

Volume 63 (1997)

Aging; *Drosophila*; Gene expression; *Wingless*; *Engrailed* **63**, 89

Antisense oligonucleotides; *prd*-type homeodomain; Eye morphogenesis; Zebrafish **63**, 133

BMP-4; Embryonic development; *Xenopus*; Mouse; *Follistatin*; Spemann's organizer **63**, 39

Brain development; *Wnt*; *En-2*; Dorsoventral axis; Neural induction; *Xenopus* **63**, 199

CaM kinase; MAGUK; DHR; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Camguk; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

cmg; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; PDZ; PSD-95; SAP90 **63**, 127

Context specificity; Homeotic; Homeodomain; Proboscipedia; Development **63**, 187

Daughterless; Proneural genes; Lethal of scute; Gal4 system; Neurogenesis; *Drosophila* **63**, 75

Delta; *Drosophila*; Neurogenic gene; Sensory organ **63**, 61

Delta; Zebrafish; *Drosophila*; Differentiation of primary neurons; Somite development **63**, 159

Development; Homeotic; Homeodomain; Proboscipedia; Context specificity **63**, 187

DHR; MAGUK; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Differentiation of primary neurons; Zebrafish; *Drosophila*; *Delta*; Somite development **63**, 159

discs-large; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Dlg; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

DNA-binding proteins; *Hoxa-4*; Mouse; *Drosophila*; Leg development; Homeotic response element **63**, 145

Dorsoventral axis; *Wnt*; *En-2*; Neural induction; Brain development; *Xenopus* **63**, 199

Double kinase; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Drosophila; *Delta*; Neurogenic gene; Sensory organ **63**, 61

Drosophila; Gene expression; Aging; *Wingless*; *Engrailed* **63**, 89

Drosophila; *Hoxa-4*; Mouse; Leg development; Homeotic response element; DNA-binding proteins **63**, 145

Drosophila; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Drosophila; Proneural genes; Lethal of scute; Daughterless; Gal4 system; Neurogenesis **63**, 75

Drosophila; Zebrafish; *Delta*; Differentiation of primary neurons; Somite development **63**, 159

Embryo; Gene trap; Ubiquitin-specific protease **63**, 29

Embryonic development; *Xenopus*; Mouse; *BMP-4*; *Follistatin*; Spemann's organizer **63**, 39

En-2; *Wnt*; Dorsoventral axis; Neural induction; Brain development; *Xenopus* **63**, 199

Engrailed; *Drosophila*; Gene expression; Aging; *Wingless* **63**, 89

Eye morphogenesis; Antisense oligonucleotides; *prd*-type homeodomain; Zebrafish **63**, 133

flh; Zebrafish; Notochord; Vasculogenesis; *ntl*; VEGR-2 **63**, 15

Follistatin; Embryonic development; *Xenopus*; Mouse; *BMP-4*; Spemann's organizer **63**, 39

Fritz; Frizzled; Wnt **63**, 109

Frizzled; Fritz; Wnt **63**, 109

Gal4 system; Proneural genes; Lethal of scute; Daughterless; Neurogenesis; *Drosophila* **63**, 75

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved

Gene expression; *Drosophila*; Aging; *Wingless*; *Engrailed* **63**, 89

Gene trap; Embryo; Ubiquitin-specific protease **63**, 29

Gli; *Xenopus*; Zinc finger protein **63**, 211

Guanylate kinase; MAGUK; DHR; CaM kinase; SH3; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

HIF-1α; Vascular development; PAS-domain transcription factors; Mouse embryo **63**, 51

Homeodomain; Homeotic; Proboscipedia; Context specificity; Development **63**, 187

Homeotic response element; *Hoxa-4*; Mouse; *Drosophila*; Leg development; DNA-binding proteins **63**, 145

Homeotic; Homeodomain; Proboscipedia; Context specificity; Development **63**, 187

Hox; Pbx; Retinoic acid; Neuronal differentiation **63**, 5

Hoxa-4; Mouse; *Drosophila*; Leg development; Homeotic response element; DNA-binding proteins **63**, 145

Leg development; *Hoxa-4*; Mouse; *Drosophila*; Homeotic response element; DNA-binding proteins **63**, 145

Lethal of scute; Proneural genes; Daughterless; Gal4 system; Neurogenesis; *Drosophila* **63**, 75

MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Mesoderm; Mouse development; Nervous system; Retinoids; Testis; Transmembrane proteins **63**, 173

Mouse development; Mesoderm; Nervous system; Retinoids; Testis; Transmembrane proteins **63**, 173

Mouse embryo; Vascular development; HIF-1α; PAS-domain transcription factors **63**, 51

Mouse; *Hoxa-4*; *Drosophila*; Leg development; Homeotic response element; DNA-binding proteins **63**, 145

Mouse; Embryonic development; *Xenopus*; *BMP-4*; *Follistatin*; Spemann's organizer **63**, 39

Nervous system; Mouse development; Mesoderm; Retinoids; Testis; Transmembrane proteins **63**, 173

Neural induction; *Wnt*; *En-2*; Dorsoventral axis; Brain development; *Xenopus* **63**, 199

Neurogenesis; Proneural genes; Lethal of scute; Daughterless; Gal4 system; *Drosophila* **63**, 75

Neurogenic gene; *Delta*; *Drosophila*; Sensory organ **63**, 61

Neuronal differentiation; Pbx; Retinoic acid; Hox **63**, 5

Notochord; Zebrafish; Vasculogenesis; *flh*; *ntl*; VEGR-2 **63**, 15

ntl; Zebrafish; Notochord; Vasculogenesis; *flh*; VEGR-2 **63**, 15

PAS-domain transcription factors; Vascular development; HIF-1α; Mouse embryo **63**, 51

Pbx; Retinoic acid; Hox; Neuronal differentiation **63**, 5

PDZ; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PSD-95; SAP90 **63**, 127

prd-type homeodomain; Antisense oligonucleotides; Eye morphogenesis; Zebrafish **63**, 133

Proboscipedia; Homeotic; Homeodomain; Context specificity; Development **63**, 187

Proneural genes; Lethal of scute; Daughterless; Gal4 system; Neurogenesis; *Drosophila* **63**, 75

PSD-95; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; SAP90 **63**, 127

Retinoic acid; Pbx; Hox; Neuronal differentiation **63**, 5

Retinoids; Mouse development; Mesoderm; Nervous system; Testis; Transmembrane proteins **63**, 173

SAP90; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95 **63**, 127

Sensory organ; *Delta*; *Drosophila*; Neurogenic gene **63**, 61

SH3; MAGUK; DHR; CaM kinase; Guanylate kinase; Dlg; *discs-large*; ZO-1; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127

Somite development; Zebrafish; *Drosophila*; *Delta*; Differentiation of primary neurons **63**, 159

Spemann's organizer; Embryonic development; *Xenopus*; Mouse; *BMP-4*; *Follistatin* **63**, 39

Testis; Mouse development; Mesoderm; Nervous system; Retinoids; Transmembrane proteins **63**, 173

Transmembrane proteins; Mouse development; Mesoderm; Nervous system; Retinoids; Testis **63**, 173

Ubiquitin-specific protease; Embryo; Gene trap **63**, 29

Vascular development; HIF-1α; PAS-domain transcription factors; Mouse embryo **63**, 51

Vasculogenesis; Zebrafish; Notochord; *flh*; *ntl*; VEGR-2 **63**, 15

VEGR-2; Zebrafish; Notochord; Vasculogenesis; *flh*; *ntl* **63**, 15

Wingless; *Drosophila*; Gene expression; Aging; *Engrailed* **63**, 89

Wnt; Fritz; Frizzled **63**, 109

Wnt; *En-2*; Dorsoventral axis; Neural induction; Brain development; *Xenopus* **63**, 199

Xenopus; Embryonic development; Mouse; *BMP-4*; *Follistatin*; Spemann's organizer **63**, 39

Xenopus; Gli; Zinc finger protein **63**, 211

Xenopus; *Wnt*; *En-2*; Dorsoventral axis; Neural induction; Brain development **63**, 199

Xenopus laevis; Zinc finger protein; ; XFDL 141/156 **63**, 99

XFDL 141/156; Zinc finger protein; *Xenopus laevis* **63**, 99

Zebrafish; *Drosophila*; *Delta*; Differentiation of primary neurons; Somite development **63**, 159

Zebrafish; Antisense oligonucleotides; *prd*-type homeodomain; Eye morphogenesis **63**, 133

Zebrafish; Notochord; Vasculogenesis; *flh*; *ntl*; VEGR-2 **63**, 15

Zinc finger protein; *Xenopus laevis*; XFDL 141/156 **63**, 99

Zinc finger protein; Gli; *Xenopus* **63**, 211

ZO-1; MAGUK; DHR; CaM kinase; SH3; Guanylate kinase; Dlg; *discs-large*; Double kinase; *Drosophila*; Camguk; *cmg*; PDZ; PSD-95; SAP90 **63**, 127